

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	7	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (memory adj2 module) and (memory adj2 system) and (high adj2 speed) and (terminat\$3 near resist\$4) and bus and (stub near2 resist\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:20
L7	9	(memory adj2 module) and (high adj2 speed) and (terminat\$3 near resist\$4) and bus and (stub near2 resist\$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:21
L8	307	motherboard and (memory adj module) and bus and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:22
L9	307	I8 and motherboard and (memory adj module) and bus and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:22
L10	35	I9 and (terminat\$3 near resistor) and (memory adj module) and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:23
L11	10	I9 and (terminat\$3 near resistor) and (memory adj module) and pin and bus and motherboard.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:23
S1	20	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat\$3 near resistor) and memory and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:22
S2	7	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat\$3 near resistor) and memory and bus and (stub near2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:31
S3	7	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat\$3 near resistor) and bus and (stub near2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:25

S5	14	"326"/\$.ccls. and (terminat\$3 near resistor) and memory and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:47
S6	73	(terminat\$3 near resistor) and memory and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 08:52
S7	14	"365"/\$.ccls. and (terminat\$3 near resistor) and memory and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:49
S8	7	"326"/\$.ccls. and (terminat\$3 near resistor) and memory and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:50
S9	2	"326"/\$.ccls. and (terminat\$3 near resistor) and memory and pin and bus and motherboard and (stub with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:51
S10	2	"326"/\$.ccls. and motherboard and (memory with chip) and pin and bus and (terminat\$3 near resistor) and (stub with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:56
S11	1	"365"/\$.ccls. and motherboard and (memory with chip) and pin and bus and (terminat\$3 near resistor) and (stub with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:53
S12	8	motherboard and (memory with chip) and pin and bus and (terminat\$3 near resistor) and (stub with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:37
S13	5	motherboard and (memory with chip) and pin and bus and (terminat\$3 near resistor) and ((stub with resistor) or Rs) and Rterm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:58
S14	673	bus and memory and (resist\$7 near2 terminat\$3) and connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:27

S15	146	bus and memory and (resist\$7 near2 terminat\$3) and connector and pin and mother\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:00
S16	15	365/51,63,99,104,189.03,220,221,230.03.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and connector and pin and mother\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:02
S17	21	"365"/\$.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and connector and pin and mother\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:03
S18	22	"326"/\$.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and connector and pin and mother\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:10
S19	33	bus and memory and (resist\$7 near2 terminat\$3) and connector and pin and mother\$5 and (chip-set or (chip adj set) or chipset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:11
S20	8	"365"/\$.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and connector and pin and mother\$5 and (chip-set or (chip adj set) or chipset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:41
S21	4	"326"/\$.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and connector and pin and mother\$5 and (chip-set or (chip adj set) or chipset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:11
S22	101	"365"/\$.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:28
S23	8	"365"/\$.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and pin and connector and mother	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:32
S24	93	("365"/\$.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and connector) not ("365"/\$.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and pin and connector and mother)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:32

S25	1	((("365"/\$.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and connector) not ("365"/\$.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and pin and connector and mother)) and "326"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:33
S26	49	365/63,51,61,53,230.03.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and board\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:55
S27	6	365/63,51,61,53,230.03.ccls. and bus and memory and (resist\$7 near2 terminat\$3) and board\$1 and calculat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 09:33
S28	2	365/51,63,99,104,189.03,220,221,230.03,233.ccls. and (memory adj2 module) with chip with bus with (termina\$4 adj2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 15:57
S29	3	("5175704" "6175517" "6208548").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 15:54
S30	1	(memory adj2 module) same chip same bus same (termina\$4 adj2 resistor) same (stab adj2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 15:59
S31	1	(memory adj2 module) same chip same bus same (termina\$4 adj2 resistor) same (stab adj2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:05
S32	2	(memory adj2 module) and chip and bus same (termina\$4 adj2 resistor) same stab	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:14
S33	2	(memory adj2 module) and chip and bus same (termina\$4 adj2 resistor) and stab	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:15
S34	2	(memory adj2 module) and chip and bus and (termina\$4 adj2 resistor) and stab	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:15

S35	2	(terminat\$3 near resistor) and memory and bus and (stab near2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:32
S36	3	(terminat\$3 near5 resistor) and memory and bus and (stab near5 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:32
S37	8	("4715921" "4910593" "5013385" "5029284" "5596757" "5701422" "5706447" "5729154").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 16:33
S38	2	motherboard and (memory with chip) and pin and bus and (terminat\$3 near resistor) and (stab with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:37
S39	8	("5490279" "6026456" "6122695" "6204683" "6218863" "6229335" "6232814" "6249142").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 16:41
S40	13	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat\$3 near resistor) and bus and ((stub near2 resistor) or (series near2 resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 17:41
S41	13	("20010045816" "5428288" "5563838" "5705922" "5821767" "5831890" "6205194" "6351827" "6442644" "6453421" "6461169" "6496380" "6665736").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 17:04
S42	1	("5532954").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 17:35

S43	31	("4262340" "4651416" "4656605" "4727513" "4740868" "4850892" "4882700" "4884237" "4891789" "4990107" "4992849" "4992850" "5026297" "5051994" "5089993" "5094624" "5112242" "5126910" "5138434" "5145396" "5157635" "5161995" "5162979" "5167517" "5200917" "5270964" "5272664" "5307309" "5319591" "5339269" "5383148").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 17:36
S44	31	("4262340" "4651416" "4656605" "4727513" "4740868" "4850892" "4882700" "4884237" "4891789" "4990107" "4992849" "4992850" "5026297" "5051994" "5089993" "5094624" "5112242" "5126910" "5138434" "5145396" "5157635" "5161995" "5162979" "5167517" "5200917" "5270964" "5272664" "5307309" "5319591" "5339269" "5383148").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 17:37
S45	6	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat\$3 near resistor) and bus and ((stab near2 resistor) or (series near2 resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 08:11
S46	11	motherboard and (memory with chip) and pin and bus and (terminat\$3 near resistor) and (stub with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 17:56
S47	6	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat\$3 near resistor) and bus and (((stab or plunge) near2 resistor) or (series near2 resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 08:55
S48	13	("20010045816" "5428288" "5563838" "5705922" "5821767" "5831890" "6205194" "6351827" "6442644" "6453421" "6461169" "6496380" "6665736").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 08:13

S49	6	("5530623" "5793998" "6070217" "6172895" "6202110" "6266252").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 08:21
S50	21	"365"/\$.ccls. and (terminat\$3 near resistor) and bus and (((stab or plunge) near2 resistor) or (series near2 resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 08:56
S51	6	("6151648" "6157688" "6356106" "6493394" "6502212" "6519173").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 09:02
S52	14	("4388725" "4811342" "5003555" "5243703" "5254883" "5268639" "5436559" "5537443" "5548596" "5864508" "5995561" "6157688" "6166971" "6185256").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 09:03
S53	13	("20010045816" "5428288" "5563838" "5705922" "5821767" "5831890" "6205194" "6351827" "6442644" "6453421" "6461169" "6496380" "6665736").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 09:04
S54	1	("5440519").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 09:07
S55	11	motherboard with chip and (pin near4 (memory adj module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:43
S56	1	motherboard and (pin near4 (memory adj module)) and resistor near5 end near4 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:45
S57	33	motherboard and (pin near4 (memory adj module)) and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:17
S58	8	("5446860" "5596758" "5787293" "5854915" "5889721" "6233201" "6366521" "6462557").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/29 14:01
S59	5	("5675545" "5796746" "5828824" "5956280" "6133745").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/29 14:02

S60	3	motherboard and (bus near4 (memory adj module)) and resistor and (Rterm or (terminat\$3 adj resistor)) and (Rs or ((stab or stub) adj resitor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:16
S61	3	motherboard and (bus near4 (memory adj module)) and (Rterm or (terminat\$3 adj resistor)) and (Rs or ((stab or stub) adj resitor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:17
S62	321	motherboard and (memory adj module) and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:18
S63	407	motherboard and (memory adj module) and resistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:18
S65	26	motherboard and (memory adj module) and bus and (terminat\$3 adj3 resistor\$1) and ((stab or stub) adj3 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:19
S66	2	09/858401	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 07:57
S67	11	motherboard and ((memory adj module) with resistor with bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 08:14
S68	6	motherboard and ((memory adj module) near5 resistor\$1 near5 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 08:20
S69	49	motherboard and ((memory adj module) same resistor\$1 same bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 08:20
S70	3	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (memory adj module) same (terminat\$3 near resistor\$1) same bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 09:12

S71	2	"6,480409".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:31
S72	31	(terminat\$3 near resistor) and (memory adj module) and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:23
S73	3	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat\$3 near resistor) and (memory adj module) and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:07
S74	3	"2001084070"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:08
S75	3	"2002023901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:08
S76	1	(stab near resistance) same (terminat\$3 near resistance) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:38
S77	2	(stab near resist\$4) same (terminat\$3 near resist\$4) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:38
S78	2	(stab with resist\$4) same (terminat\$3 with resist\$4) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:25
S79	12	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat\$3 near resist\$4) and bus and (stub near2 resist\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:35
S80	2	("4748426" "5867446").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/28 12:34

S81	59	(terminat\$3 near resist\$4) and bus and (stub near2 resist\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:35
S82	1	(stub near resistance) same (terminat\$3 near resistance) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:38
S83	28	(stub near resist\$4) same (terminat\$3 near resist\$4) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 14:26
S84	14	("4472647" "4719369" "4748426" "5029287" "5107230" "5239658" "5274671" "5382841" "5440248" "5479123" "5602494" "5731711" "5781028" "6023175").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/28 12:48